

Keyword Driven Framework In Qtp With Complete Source Code

Keyword Driven Framework in QTP with Complete Source Code

The world of automated software testing is constantly evolving, and one technique that

Keyword Driven Framework In Qtp With Complete Source Code

significantly improves efficiency and maintainability is the keyword-driven framework. This article dives deep into creating a keyword-driven framework in QuickTest Professional (QTP), now known as UFT (Unified Functional Testing), providing you with a complete source code example and a comprehensive understanding of its implementation. We'll explore the benefits, practical usage, and potential challenges, equipping you with the knowledge to build and leverage this powerful testing approach. This framework allows for efficient test automation by separating test scripts from test data, a concept we'll explore in detail, covering topics like **data-driven testing**, **excel integration**, and **function libraries**.

Keyword Driven Framework In Qtp With Complete Source Code

Introduction to Keyword-Driven Frameworks in UFT

A keyword-driven framework in UFT streamlines the testing process by employing keywords to represent specific actions within your application under test (AUT). Instead of writing complex VBScript code for each test case, you define a set of keywords that correspond to these actions (e.g., "Login," "Click Button," "Verify Text"). Test cases are then created by simply sequencing these keywords along with the necessary data. This approach promotes reusability, simplifies maintenance, and allows business users with limited coding experience to participate in test case design. This makes it a crucial element of successful **test automation**

strategies.

Benefits of a Keyword Driven Framework in UFT

Using a keyword-driven approach offers several significant advantages:

- **Increased Reusability:** Keywords encapsulate actions, making them reusable across multiple test cases. This drastically reduces code duplication and development time.
- **Improved Maintainability:** Changes to the AUT require minimal modifications to the test cases. You primarily update the keyword definitions rather than rewriting extensive

Keyword Driven Framework In Qtp With Complete Source Code

scripts.

- **Enhanced Collaboration:** The keyword-based approach allows business analysts and testers to easily collaborate on test case design, as they don't need advanced programming skills.
- **Reduced Test Script Complexity:** Test scripts become simpler and more readable, leading to easier debugging and troubleshooting.
- **Better Data Management:** Separating test data from the scripts allows for efficient management and manipulation of test input values. We'll see how this works with **excel data-driven testing** below.

Keyword Driven Framework In Qtp With Complete Source Code

Implementing a Keyword-Driven Framework in UFT: A Complete Example

Let's build a simple keyword-driven framework in UFT. We'll use an Excel spreadsheet to store our test data and keywords, and a function library to handle the actual actions.

1. Excel Sheet (TestData.xls):

Keyword	Object	Value
OpenBrowser	Browser	"www.google.com"

Keyword Driven Framework In Qtp With Complete Source Code

```
| TypeText | SearchBox| "Keyword Driven  
Framework" |
```

```
| ClickButton | SearchButton | |
```

```
| VerifyText | ResultPage | "Keyword Driven  
Framework" |
```

```
| CloseBrowser | Browser | |
```

2. UFT Function Library (KeywordLibrary.vbs):

```
```vbscript
```

```
Function OpenBrowser(browserName, url)
```

```
Set browser = Browser("name=" &
browserName).Create()
```

---

## Keyword Driven Framework In Qtp With Complete Source Code

## Keyword Driven Framework In Qtp With Complete Source Code

---

```
browser.Navigate url

End Function

Function TypeText(objectName, text)

Set obj = Description.Create()

obj("name").Value = objectName

Set obj = Window("title:=.*").ChildObjects(obj)

obj.SetFocus

obj.Type text

End Function

Function ClickButton(objectName)
```

---

Keyword Driven Framework In Qtp With Complete Source Code



## Keyword Driven Framework In Qtp With Complete Source Code

---

```
Set obj = Description.Create()
obj("name").Value = objectName
Set obj = Window("title:=.*").ChildObjects(obj)
obj.Click
End Function

Function VerifyText(objectName, expectedText)
Set obj = Description.Create()
obj("name").Value = objectName
Set obj = Window("title:=.*").ChildObjects(obj)
If InStr(obj.GetROProperty("text"),
```

---

Keyword Driven Framework In Qtp With Complete Source Code

## Keyword Driven Framework In Qtp With Complete Source Code

---

```
expectedText) > 0 Then
```

```
Reporter.ReportEvent micPass, "Verification
Passed", "Text '" & expectedText & "' found."
```

```
Else
```

```
Reporter.ReportEvent micFail, "Verification
Failed", "Text '" & expectedText & "' not
found."
```

```
End If
```

```
End Function
```

```
Function CloseBrowser(browserName)
```

```
Set browser = Browser("name:=" &
browserName).Object
```

---

## Keyword Driven Framework In Qtp With Complete Source Code

## Keyword Driven Framework In Qtp With Complete Source Code

---

```
browser.Close
```

```
End Function
```

```
```
```

3. UFT Test Script (TestScript.mts):

```
```vbscript
```

```
'Set the path to your Excel file.
```

```
Set objExcel = CreateObject("Excel.Application")
```

```
Set objWorkbook =
```

```
objExcel.Workbooks.Open("C:\TestData.xls")
```

```
Set objSheet = objWorkbook.Worksheets(1)
```

---

Keyword Driven Framework In Qtp With Complete Source Code

## Keyword Driven Framework In Qtp With Complete Source Code

---

```
'Loop through each row in the Excel sheet
For i = 2 To objSheet.UsedRange.Rows.Count
 keyword = objSheet.Cells(i, 1).Value
 object = objSheet.Cells(i, 2).Value
 value = objSheet.Cells(i, 3).Value

 'Call the appropriate function based on the
 keyword

 Select Case keyword
 Case "OpenBrowser"

 Call OpenBrowser(object, value)
```

---

Keyword Driven Framework In Qtp With Complete Source Code

## Keyword Driven Framework In Qtp With Complete Source Code

---

Case "TypeText"

Call TypeText(object, value)

Case "ClickButton"

Call ClickButton(object)

Case "VerifyText"

Call VerifyText(object, value)

Case "CloseBrowser"

Call CloseBrowser(object)

End Select

Next

---

Keyword Driven Framework In Qtp With Complete Source Code

## Keyword Driven Framework In Qtp With Complete Source Code

---

```
objWorkbook.Close
```

```
objExcel.Quit
```

```
```\n
```

This example demonstrates a basic implementation. In a real-world scenario, you'd have a more extensive function library and a robust mechanism for error handling and reporting. This example also showcases **excel integration** and its role in a keyword driven framework.

Usage and Implementation

Keyword Driven Framework In Qtp With Complete Source Code

Strategies

Successful implementation of a keyword-driven framework requires careful planning and execution. Key steps include:

- **Keyword Identification:** Define a comprehensive set of keywords that covers all the required actions in your AUT.
- **Function Library Development:** Create well-structured and reusable functions for each keyword.
- **Data Management:** Establish a clear system for organizing and managing test data, often using Excel or a database. This will be a core part of your **data-driven testing** strategy.
- ~~**Test Case Design:** Create test cases by~~

Keyword Driven Framework In Qtp With Complete Source Code

simply sequencing keywords and input data.

- **Execution and Reporting:** Implement a mechanism for executing test cases and generating comprehensive reports.

Conclusion

The keyword-driven framework in UFT offers a highly efficient and maintainable approach to automated software testing. By separating test logic from test data and using reusable keywords, this framework significantly reduces development time, enhances collaboration, and improves overall test quality. While the initial setup requires careful planning, the long-term benefits far outweigh the initial investment.

Remember to focus on choosing meaningful

~~keywords and building a well structured function~~

Keyword Driven Framework In Qtp With Complete Source Code

Keyword Driven Framework In Qtp With Complete Source Code

library to truly reap the rewards of this powerful testing methodology.

FAQ

Q1: What are the limitations of a keyword-driven framework?

A1: While highly beneficial, keyword-driven frameworks have limitations. For very complex scenarios with intricate logic, they can become less efficient than a data-driven or hybrid approach. Furthermore, extensive keyword creation and maintenance can be challenging for large-scale projects. Proper planning and a modular design are key to mitigating these challenges.

Keyword Driven Framework In Qtp With Complete Source Code

Keyword Driven Framework In Qtp With Complete Source Code

Q2: How does a keyword-driven framework differ from a data-driven framework?

A2: A keyword-driven framework focuses on actions (keywords) that are executed based on data provided (often from an external source like Excel), while a data-driven framework primarily focuses on iterating through test data to execute the same set of actions repeatedly. They are not mutually exclusive and can be combined effectively in a hybrid approach, further enhancing testing efficiency.

Q3: Can I use a database instead of Excel for test data?

A3: Absolutely! Using a database like SQL Server or MySQL offers several advantages, particularly

Keyword Driven Framework In Qtp With Complete Source Code

Keyword Driven Framework In Qtp With Complete Source Code

for larger projects with extensive test data. You'd need to adjust your script to interact with the database instead of Excel, but this provides more robust data management capabilities.

Q4: How do I handle errors and exceptions in a keyword-driven framework?

A4: Robust error handling is crucial. Your functions should include try-catch blocks to gracefully handle exceptions. You should also implement detailed logging and reporting mechanisms to record error details and aid in debugging. The UFT reporting features are excellent for this purpose.

Q5: What are some best practices for designing

Keyword Driven Framework In Qtp With Complete Source Code

Keyword Driven Framework In Qtp With Complete Source Code

keywords?

A5: Use clear, concise, and descriptive names. Keep keywords self-contained and avoid dependencies on other keywords wherever possible. Aim for modularity – break down complex actions into smaller, more manageable keywords. Follow consistent naming conventions throughout your framework.

Q6: How can I integrate this with continuous integration/continuous deployment (CI/CD) pipelines?

A6: You can integrate your keyword-driven framework with CI/CD pipelines by automating the execution of your test scripts using tools like Jenkins or Azure DevOps. The results can then be

Keyword Driven Framework In Qtp With Complete Source Code

Keyword Driven Framework In Qtp With Complete Source Code

integrated into your CI/CD pipeline to trigger appropriate actions based on test success or failure.

Q7: What is the role of object repository in this framework?

A7: While not explicitly shown in the simplified example, a well-maintained object repository remains essential. The object repository stores information about the objects in your application under test. This allows for improved maintainability and reduces the risk of test script breakage when UI elements change slightly. You should reference objects from the repository within your keyword functions.

Q8: Is this approach suitable for all types of

Keyword Driven Framework In Qtp With Complete Source Code

Keyword Driven Framework In Qtp With Complete Source Code

testing?

A8: Keyword-driven frameworks are particularly well-suited for functional testing and regression testing. They can be adapted for other types of testing, but the effectiveness may vary depending on the specific testing approach and the complexity of the application. They are less often directly used for performance or security testing, for example, though the underlying principles of modularity and reusability can still be applied.

Keyword Driven Framework in QTP with Complete Source Code: A

Keyword Driven Framework In Qtp With Complete Source Code

Comprehensive Guide

Automating validation procedures is essential in today's fast-paced software creation landscape. Traditional testing is time-consuming and unreliable, while automation provides significant advantages in terms of speed , accuracy , and repeatability . One powerful approach to software test automation is the Keyword Driven Framework (KDF), and this article will delve into its deployment using QuickTest Professional (QTP), now known as UFT (Unified Functional Testing), providing a complete source code example.

The Keyword Driven Framework in QTP organizes test cases around keywords, which denote ~~specific actions or operations within the~~

Keyword Driven Framework In Qtp With Complete Source
Code

Keyword Driven Framework In Qtp With Complete Source Code

application being tested . These keywords are stored in a centralized repository, often an Excel spreadsheet or a database, alongside related data, such as input values and target outputs. The framework then accesses these keywords and data, performing the corresponding QTP scripts to automate the verification cycle.

This technique offers several key benefits :

- **Increased Reusability:** Keywords can be reused across multiple test cases, minimizing repetition and overhead.
- **Improved Maintainability:** Modifications to the test scripts are isolated , making it less difficult to modify and sustain the framework.
- **Enhanced Collaboration:** The division of test

Keyword Driven Framework In Qtp With Complete Source Code

Keyword Driven Framework In Qtp With Complete Source Code

development from test implementation enables for better collaboration between testers and developers.

- **Easier Understanding:** The keyword-driven technique makes it easier for non-programmers to comprehend and alter test cases.

Let's investigate a concrete example. Imagine validating a login feature . The keywords might include: "OpenBrowser", "TypeText", "ClickButton", "VerifyText". The data sheet would hold information such as the URL of the application , the user ID, the password , and the expected login message .

The QTP script would then read this data, run the appropriate keywords, and match the observed

Keyword Driven Framework In Qtp With Complete Source Code

Keyword Driven Framework In Qtp With Complete Source Code

outputs against the expected results .

Complete Source Code Example (Illustrative):

This example uses VBScript within QTP. Remember that this is a simplified illustration and a full-fledged framework requires more elaborate error handling, logging, and reporting mechanisms.

```
```vbscript
```

```
' Read data from Excel sheet (replace
"testData.xls" with your file)
```

```
Set objExcel = CreateObject("Excel.Application")
```

```
Set objWorkbook =
objExcel.Workbooks.Open("testData.xls")
```

---

Keyword Driven Framework In Qtp With Complete Source Code

## Keyword Driven Framework In Qtp With Complete Source Code

---

```
Set objWorksheet = objWorkbook.Worksheets(1)

' Loop through each test case
For i = 2 To objWorksheet.UsedRange.Rows.Count
 keyword = objWorksheet.Cells(i, 1).Value
 value1 = objWorksheet.Cells(i, 2).Value
 value2 = objWorksheet.Cells(i, 3).Value

 Select Case keyword

 Case "OpenBrowser"

 Browser("title:=.*").Page("title:=.*").WebEdit("
 name:=username").Set value1
```

---

Keyword Driven Framework In Qtp With Complete Source Code

## Keyword Driven Framework In Qtp With Complete Source Code

---

Case "TypeText"

```
Browser("title:=.*").Page("title:=.*").WebEdit("name:=password").Set value2
```

Case "ClickButton"

```
Browser("title:=.*").Page("title:=.*").WebButton("text:=Login").Click
```

Case "VerifyText"

' Add your verification logic here

End Select

Next

objWorkbook.Close

---

## Keyword Driven Framework In Qtp With Complete Source Code

## Keyword Driven Framework In Qtp With Complete Source Code

---

```
objExcel.Quit

Set objWorksheet = Nothing

Set objWorkbook = Nothing

Set objExcel = Nothing

` ` `
```

This code snippet demonstrates the fundamental idea of reading keywords and data from an Excel sheet and then using them to drive the QTP script's execution. A strong framework would require more sophisticated error handling, logging, and reporting capabilities, but this example provides a foundation for creating a complete Keyword Driven Framework in QTP.

~~Remember to install the necessary libraries and~~  
Keyword Driven Framework In Qtp With Complete Source Code

## Keyword Driven Framework In Qtp With Complete Source Code

---

modify the code to suit your unique application and verification goals.

### **Conclusion:**

The Keyword Driven Framework in QTP presents a organized and sustainable technique to automate software validation . By separating test creation from coding , it boosts teamwork , reusability , and manageability . While this article provides a simplified example, implementing a full-fledged KDF requires careful planning, design, and thought to detail. The rewards, however, are substantial in terms of productivity and excellence of the testing process .

### **Frequently Asked Questions (FAQs):**

---

Keyword Driven Framework In Qtp With Complete Source Code

## Keyword Driven Framework In Qtp With Complete Source Code

---

### **1. Q: What are the disadvantages of a Keyword Driven Framework?**

**A:** While KDFs offer many benefits, they can become complex to manage for extensive projects . Careful planning and design are vital to avert unnecessary intricacy .

### **2. Q: Can I use other stores besides Excel?**

**A:** Certainly . Databases such as SQL Server are frequently used as alternative data sources for a Keyword Driven Framework.

### **3. Q: What scripting languages can I use with QTP?**

**A:** QTP (UFT) primarily uses VBScript, but it ~~also supports other languages through plugins.~~

Keyword Driven Framework In Qtp With Complete Source Code

## Keyword Driven Framework In Qtp With Complete Source Code

---

### **4. Q: How do I handle mistakes in my Keyword Driven Framework?**

**A:** Robust error handling is critical. Implement exception-handling blocks in your QTP scripts to gracefully manage errors and document them appropriately. This enables troubleshooting and identifying the root cause of malfunctions .

[https://www.backpackingmatt.com/ebook/090926/59301Y07S6/CHAPTER/japan\\_and-the-shackles\\_of-the\\_past\\_what\\_everyone\\_needs-to\\_know.pdf](https://www.backpackingmatt.com/ebook/090926/59301Y07S6/CHAPTER/japan_and-the-shackles_of-the_past_what_everyone_needs-to_know.pdf)  
[https://www.backpackingmatt.com/doc/T20409S/090926/PAGE/jvc\\_tv-service\\_manual.pdf](https://www.backpackingmatt.com/doc/T20409S/090926/PAGE/jvc_tv-service_manual.pdf)  
[https://www.backpackingmatt.com/pdf/em/M3434E8/PAGE/the\\_fundamentals\\_of\\_municipal-bonds.pdf](https://www.backpackingmatt.com/pdf/em/M3434E8/PAGE/the_fundamentals_of_municipal-bonds.pdf)  
[https://www.backpackingmatt.com/science/KP60667/090926/EPDF/sound-speech-music\\_in-](https://www.backpackingmatt.com/science/KP60667/090926/EPDF/sound-speech-music_in-)

---

Keyword Driven Framework In Qtp With Complete Source Code



## Keyword Driven Framework In Qtp With Complete Source Code

---

[soviet\\_and\\_post\\_soviet-cinema.pdf](#)  
[https://www.backpackingmatt.com/ppt/eg/7053GE1901260909/PAGE/1999\\_dodge\\_stratus\\_service\\_repair-manual-download.pdf](https://www.backpackingmatt.com/ppt/eg/7053GE1901260909/PAGE/1999_dodge_stratus_service_repair-manual-download.pdf)  
[https://www.backpackingmatt.com/text/ax/4604A0X/DOC/the\\_vine\\_of\\_desire\\_anju\\_and\\_sudha\\_2\\_chitra-banerjee\\_divakaruni.pdf](https://www.backpackingmatt.com/text/ax/4604A0X/DOC/the_vine_of_desire_anju_and_sudha_2_chitra-banerjee_divakaruni.pdf)  
[https://www.backpackingmatt.com/science/57F95K4/24F91K4251/PUB/the\\_optimism\\_bias\\_a-tour\\_of-the-irrationally\\_positive-brain.pdf](https://www.backpackingmatt.com/science/57F95K4/24F91K4251/PUB/the_optimism_bias_a-tour_of-the-irrationally_positive-brain.pdf)  
[https://www.backpackingmatt.com/short/86746UY/132821090926/EB00K/apple\\_ihome\\_instruction\\_manual.pdf](https://www.backpackingmatt.com/short/86746UY/132821090926/EB00K/apple_ihome_instruction_manual.pdf)  
[https://www.backpackingmatt.com/journal/ey092609/15844YE703132821/TEXT/the\\_accidental-instructional\\_designer-learning-design\\_for-the\\_digital\\_age\\_author-cammy\\_bean\\_published\\_on\\_june-2014.pdf](https://www.backpackingmatt.com/journal/ey092609/15844YE703132821/TEXT/the_accidental-instructional_designer-learning-design_for-the_digital_age_author-cammy_bean_published_on_june-2014.pdf)

---

## Keyword Driven Framework In Qtp With Complete Source Code

## Keyword Driven Framework In Qtp With Complete Source Code

---

[https://www.backpackingmatt.com/slide/W26914P/132821090926/EPDF/thank-you\\_for-arguing\\_what\\_aristotle\\_lincoln\\_and-homer\\_simpson\\_can-teach\\_us\\_about\\_the\\_art\\_of\\_persuasion.pdf](https://www.backpackingmatt.com/slide/W26914P/132821090926/EPDF/thank-you_for-arguing_what_aristotle_lincoln_and-homer_simpson_can-teach_us_about_the_art_of_persuasion.pdf)

---

Keyword Driven Framework In Qtp With Complete Source Code