

# 580ex II Guide Number

## Understanding the Canon Speedlite 580EX II Guide Number: A Comprehensive Guide

The Canon Speedlite 580EX II remains a popular and versatile flash unit, even with newer models on the market. Understanding its guide number is crucial for mastering flash photography and achieving consistently well-lit images. This guide delves into the intricacies of the 580EX II guide number, exploring its meaning, practical applications, and how to effectively utilize it in various shooting scenarios. We'll cover topics such as **flash power**, **ISO settings**, and **distance calculations**, ensuring you can confidently harness the power of this popular speedlight.

### Understanding the 580EX II Guide Number: What Does It Mean?

The **guide number** (GN) is a crucial specification for any flash unit, including the Canon Speedlite 580EX II. It represents the flash's power output at a specific ISO setting and focal length. The 580EX II boasts a guide number of 58 (at ISO 100 and 105mm). This means that at ISO 100 and with the flash's zoom head set to 105mm, the flash will illuminate a subject adequately at a distance of 58 feet.

This seemingly simple number holds the key to accurate flash exposure calculations. The guide number provides a consistent reference point, allowing photographers to quickly determine the appropriate flash power and distance for various shooting situations. It's the cornerstone of understanding flash photography and enables precise control over lighting, regardless of the ambient light conditions. Understanding the interplay between the **580EX II guide number**, aperture, and distance is paramount to success.

### Factors Affecting the 580EX II Guide Number and Flash Exposure

While the 580EX II's guide number of 58 is a fixed value at ISO 100 and 105mm, several factors influence the effective guide number and thus, the overall exposure:

- **ISO Setting:** Increasing the ISO setting increases the sensitivity of your camera's sensor to light. This means you can use a lower flash power (or shoot from a further distance) to achieve the same exposure. Conversely, lowering the ISO reduces sensitivity, requiring either more flash power or a closer shooting distance.
- **Focal Length:** The 580EX II's zoom head allows for adjusting the focal length, directly impacting the guide number. At wider focal lengths (e.g., 24mm), the effective guide number decreases. At narrower focal lengths (e.g., 105mm), it reaches its maximum value.

of 58 at ISO 100.

- **Flash Power:** The 580EX II offers adjustable flash power levels, usually expressed in stops (1/1, 1/2, 1/4, 1/8, etc.). Reducing the flash power effectively lowers the guide number, requiring either a shorter distance or a higher ISO setting to maintain proper exposure.
- **Bounce Flash:** Bouncing the flash off a ceiling or wall significantly reduces the effective guide number due to light loss. You'll need to compensate by increasing the flash power or moving closer to the subject. This is a crucial consideration when understanding the **580EX II guide number** in practical situations.

## Calculating Flash Exposure Using the 580EX II Guide Number

Using the guide number to calculate exposure is straightforward. The basic formula is:

**Distance = Guide Number / Aperture**

For example: At ISO 100 with the zoom head at 105mm (GN 58), to achieve a correct exposure at f/8, the calculation would be:

$$58 / 8 = 7.25 \text{ feet}$$

This means you should position yourself approximately 7.25 feet from your subject to achieve proper exposure. Remember that this is a simplified calculation, and fine-tuning might be needed based on the specific scene and desired lighting effect.

## Advanced Techniques and Practical Applications

Understanding the 580EX II guide number isn't just about simple calculations; it opens the door to creative lighting techniques.

- **High-Speed Sync:** The 580EX II supports high-speed sync (FP mode), allowing you to use flash at shutter speeds faster than your camera's sync speed. This expands your creative possibilities, particularly in bright daylight scenarios. However, keep in mind that high-speed sync often reduces the effective guide number.
- **TTL (Through-the-Lens) Metering:** While manual calculations are essential for understanding the fundamentals, TTL metering simplifies the process. The camera automatically adjusts the flash power based on the scene's brightness, eliminating the need for manual calculations in many situations. However, understanding the guide number gives you control and allows you to override the TTL system if needed.
- **Off-Camera Flash:** Using the 580EX II off-camera opens up a whole new world of creative lighting. With triggers and radio transmitters, you can position the flash for dramatic lighting effects, creatively manipulating the distance and thus the intensity based on the 580EX II guide number.

## Conclusion

The Canon Speedlite 580EX II guide number is more than just a technical specification; it's the foundation of mastering flash photography. By understanding its implications and the factors influencing it, you can achieve precise control over your lighting, regardless of the shooting conditions. From simple calculations to advanced techniques, proficient use of the guide number unlocks your creativity and enables you to consistently capture well-lit, professional-quality images.

## FAQ

### **Q1: My 580EX II seems less powerful than expected. What could be wrong?**

A1: Several factors can affect perceived flash power. Check your batteries (weak batteries significantly reduce power), ensure the flash is properly set (correct power level, zoom head setting, and flash mode), and verify that the flash isn't malfunctioning. Additionally, remember that bouncing the flash reduces its effective power considerably.

### **Q2: Can I use the guide number with different ISO settings?**

A2: Yes, but you need to adjust your calculations. The guide number is specified for ISO 100. For different ISO values, you can use the following formula:  $\text{Adjusted Guide Number} = (\text{Desired ISO} / 100) * 58$ . Then use this adjusted GN in the distance calculation.

### **Q3: What is the difference between the GN of the 580EX II and newer Canon speedlites?**

A3: Newer Canon speedlites might offer higher guide numbers, reflecting improvements in flash technology and increased power output. However, the 580EX II's guide number remains respectable and suitable for many photographic situations.

### **Q4: How does the 580EX II guide number relate to E-TTL II metering?**

A4: E-TTL II uses the guide number information, along with other sensor data, to determine the appropriate flash power automatically. However, understanding the guide number allows you to predict and adjust exposure, even when using E-TTL II.

### **Q5: Can I use the guide number for macro photography with the 580EX II?**

A5: Yes, but you might need to adjust for the close focusing distance. At very close distances, the inverse square law becomes more pronounced, affecting light falloff. You might need more flash power than the guide number suggests for consistent illumination.

### **Q6: Is the guide number affected by the color temperature of the flash?**

A6: The guide number itself isn't directly affected by color temperature. However, color temperature affects the perceived brightness and how the flash interacts with the scene.

### **Q7: How accurate are guide number calculations in real-world situations?**

A7: Guide number calculations provide a good starting point, but real-world conditions introduce variables that might require fine-tuning. Factors like reflectivity of surfaces, ambient light, and subject distance can influence the final exposure.

**Q8: What is the best way to learn practical application of the 580EX II guide number?**

A8: The best way is through hands-on practice. Start with simple test shots, experimenting with different ISO settings, apertures, and distances. Gradually increase complexity by incorporating off-camera flash and different lighting modifiers. Experimentation is key to mastering flash photography and understanding the real-world application of the 580EX II's guide number.

## **Decoding the Canon Speedlite 580EX II Guide Number: A Deep Dive into Flash Photography**

Understanding your flash's guide number is crucial for securing optimal exposure in your photographs. For Canon users, the reliable 580EX II speedlite is a popular choice, and its guide number is a frequently mentioned topic. This guide will investigate thoroughly into the meaning and ramifications of the 580EX II's guide number, giving you the insight to command your flash photography.

The 580EX II's guide number, usually cited as 58 (at ISO 100 and 105mm), is a quantitative expression of the speedlight's intensity. It essentially tells you how distant the light can travel whilst maintaining a precise exposure at a set ISO value. Think of it as a evaluation of the speedlight's ability to brighten a subject at diverse separations.

A guide number of 58 signifies that at ISO 100, your subject will be accurately exposed if the separation between the flash and subject is 58 feet. In contrast, if you increase the ISO to 200, you can multiply the gap – meaning you can illuminate your subject from 116 units away. Similarly, lowering the ISO to 50 will divide in half the effective gap to 29 meters.

This correlation between guide number, ISO, and gap is basic to comprehending flash photography. It allows you exactly determine the suitable settings for diverse situations. For instance, if you're photographing a picture at a gap of 20 feet at ISO 100, you might require to change your aperture to make up for the lessened light.

The 580EX II's flexibility is moreover improved by its ability to manage its intensity throughout a variety of options. Using manual strength control, you can adjust the output to match your particular needs. This gives you superior creative command.

Furthermore, the 580EX II's guide number is affected by the focus length of your lens. The declared guide number of 58 is at 105mm. Using a wider lens will result in a smaller effective guide number, whereas using a greater objective will raise it. This is because the light is spread more broadly with wider lenses, reducing the strength at any set distance.

Comprehending the relationship between the 580EX II's guide number, ISO, separation, aperture, and focus length is the essence to unlocking the entire potential of this robust flash equipment. Practice and testing are necessary to build an intuitive knowledge of how these factors work

together. By carrying out so, you'll be able to consistently obtain perfect exposures in a extensive range of illumination situations.

In closing, the Canon Speedlite 580EX II guide number is more than just a number; it's a robust instrument that empowers you to precisely control your flash photography. Comprehending its meaning and use will substantially improve your potential to record stunning photographs in any scenario.

### **Frequently Asked Questions (FAQ):**

#### **Q1: What happens if I use a lower ISO than 100?**

**A1:** Lowering the ISO under 100 will additionally lessen the effective reach of your flash. You'll require to get nearer to your subject or raise your flash power.

#### **Q2: My flash seems too powerful. How can I reduce the power?**

**A2:** The 580EX II offers manual strength management. Easily turn the power control lower to decrease the light's intensity.

#### **Q3: Can I use the 580EX II guide number with other Canon flashes?**

**A3:** While the specific guide number will change between Canon flashes, the underlying ideas remain the same. You can adapt the determinations consistently.

#### **Q4: How does the guide number relate to aperture?**

**A4:** The guide number assists you to determine the proper aperture parameter for a set ISO and separation. A greater aperture number (smaller aperture) will need a greater guide number (or closer gap) to achieve correct exposure.

[https://www.backpackingmatt.com/ref/ft/T67865694F260909/PUB/carolina-student\\_guide\\_ap-biol\\_ogy-lab\\_\\_2.pdf](https://www.backpackingmatt.com/ref/ft/T67865694F260909/PUB/carolina-student_guide_ap-biol_ogy-lab__2.pdf)

[https://www.backpackingmatt.com/slide/654P1P9/120611090926/PPT/servicing\\_hi-fi\\_preamps-and\\_amplifiers\\_1959.pdf](https://www.backpackingmatt.com/slide/654P1P9/120611090926/PPT/servicing_hi-fi_preamps-and_amplifiers_1959.pdf)

[https://www.backpackingmatt.com/ppt/120611/131M11G/PPT/the-psychology\\_of\\_spine\\_surgery.pdf](https://www.backpackingmatt.com/ppt/120611/131M11G/PPT/the-psychology_of_spine_surgery.pdf)

[https://www.backpackingmatt.com/text/df/476FD65222260909/PAGE/a-companion-to\\_romance\\_from-classical\\_to\\_contemporary.pdf](https://www.backpackingmatt.com/text/df/476FD65222260909/PAGE/a-companion-to_romance_from-classical_to_contemporary.pdf)

[https://www.backpackingmatt.com/text/O28118I/090926/PLAY/manual\\_whirlpool\\_washer-wiring\\_diagram.pdf](https://www.backpackingmatt.com/text/O28118I/090926/PLAY/manual_whirlpool_washer-wiring_diagram.pdf)

[https://www.backpackingmatt.com/play/120611/51979Q479B/KINDLE/credit\\_card-a\\_personal-debt-crisis.pdf](https://www.backpackingmatt.com/play/120611/51979Q479B/KINDLE/credit_card-a_personal-debt-crisis.pdf)

<https://www.backpackingmatt.com/short/12582PJ/120611090926/EPUB/philips-np3300-manual.pdf>

[https://www.backpackingmatt.com/doc/120611/E946N53/EPUB/escalade\\_navigation\\_radio\\_system\\_manual.pdf](https://www.backpackingmatt.com/doc/120611/E946N53/EPUB/escalade_navigation_radio_system_manual.pdf)

[https://www.backpackingmatt.com/play/tb092609/860B1688T6120611/TEXT/snack-ideas-for\\_nursing\\_home-residents.pdf](https://www.backpackingmatt.com/play/tb092609/860B1688T6120611/TEXT/snack-ideas-for_nursing_home-residents.pdf)

[https://www.backpackingmatt.com/book/po/499O2P9212260909/PLAY/general\\_insurance\\_under](https://www.backpackingmatt.com/book/po/499O2P9212260909/PLAY/general_insurance_under)

[writing\\_manual.pdf](#)